




Biomass-Based Mesoporous Activated Carbon **Synthesis, Characterization and Optimization**

Ivy Tan Ai Wei



© UNIMAS Publisher, 2020

All rights reserved. No part of this publication may be reproduced, stored in retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher.

Published in Malaysia by

UNIMAS Publisher,
Universiti Malaysia Sarawak,
94300 Kota Samarahan,
Sarawak, Malaysia.

Printed in Malaysia by

Lee Ming Press Sdn Bhd
No. 48, Jalan Ellis
93300 Kuching,
Sarawak, Malaysia.

Perpustakaan Negara Malaysia

Cataloguing-in-Publication Data

Tan, Ivy Ai Wei

Biomass-Based Mesoporous Activated Carbon : Synthesis, Characterization and Optimization / Ivy Tan Ai Wei.

ISBN 978-967-2298-40-3

1. Biomass chemicals.
2. Biomass chemicals industry.
3. Dyes and dyeing.
4. Government publications--Malaysia.

I. Title.

662.88

Contents

List of Tables	vi
List of Figures	ix
List of Plates	xi
List of Abbreviations	xii
Notation	xiii
Preface	xvii
1 Introduction	1
2 Agricultural Biomass-Based Activated Carbon for Dye Adsorption	15
3 Activated Carbon Synthesis and Characterization	29
4 Optimization of Activated Carbon Synthesis	53
5 Activated Carbon for Liquid Phase Batch Adsorption	75
6 Activated Carbon for Liquid Phase Fixed-Bed Adsorption	121
Bibliography	129
Index	149

BIBLIOGRAPHY

- Abdelwahab, O. (2008). Evaluation of the use of loofa activated carbons as potential adsorbents for aqueous solutions containing dye. *Desalination*, 222, 357-367.
- Achaw, O.W. and Afrane, G. (2008). The evolution of the pore structure of coconut shells during the preparation of coconut shell-based activated carbons. *Microporous and Mesoporous Materials*, 112, 284-290.
- Adinata, D., Wan Daud, W.M.A. and Aroua, M.K. (2007). Preparation and characterization of activated carbon from palm shell by chemical activation with K_2CO_3 . *Bioresource Technology*, 98, 145-149.
- Ahmedna, M., Marshall, W.E. and Rao, R.M. (2000). Production of granular activated carbons from select agricultural by-products and evaluation of their physical, chemical and adsorption properties. *Bioresource Technology*, 71, 113-123.
- Aksu, Z. and Gönen, F. (2004). Biosorption of phenol by immobilized activated sludge in a continuous packed bed: prediction of breakthrough curves. *Process Biochemistry*, 39, 599-613.
- Alam, M.Z., Muyibi, S.A., Mansor, M.F. and Wahid, R. (2007a). Activated carbons derived from oil palm empty-fruit bunches: Application to environmental problems. *Journal of Environmental Sciences*, 19, 103-108.
- Alam, Z., Muyibi, S.A. and Toramae, J. (2007b). Statistical optimization of adsorption processes for removal of 2,4-dichlorophenol by activated carbon derived from oil palm empty fruit bunches. *Journal of Environmental Sciences*, 19, 674-677.
- Allen, S.J. and Koumanova, B. (2005). Decolourisation of water/wastewater using adsorption (review). *Journal of the University of Chemical Technology and Metallurgy*, 40, 175-192.

INDEX

A

- Activation 2, 7-8, 19-20, 30-40, 49, 54
- Activation temperature 7, 10-11, 31, 38, 49, 54-73
- Activation time 7, 10-11, 31, 37-38, 49, 54-73
- Adsorbate inlet concentration 8, 13, 123, 127
- Adsorbent 4-5, 16-18, 76, 78-82, 85, 87, 97, 100, 108, 111-112, 117-118, 122-127
- Agricultural 2, 6-7, 13, 15, 22-28, 31-37
- Analysis of variance 57-58, 63, 67-68

B

- Batch adsorption 8, 12, 20, 75-76
- Bed height 8, 121-127
- Biomass 2, 5-7, 13, 15, 25
- Breakthrough characteristics 8, 122, 124-126

C

- Carbonization 19, 29-37, 43, 46, 49-50
- Central composite design 10, 54
- Char 10, 19, 29, 31, 33, 43-46
- Characterization 13, 29, 38
- Coconut husk 2, 7, 24-25, 54-59

D

- Design of experiment 55, 66
- Dubinin-Radushkevich isotherm 12, 84, 88-94

E

- Effluent 4-5, 15, 123
- Elovich model 12, 97, 99, 101, 103-104, 107-108

F

- Feed flow rate 8, 123-127
- Fixed-bed adsorption 8, 121, 123
- Freundlich isotherm 12, 84, 86-94
- Functional group 18, 49-50

G

- Granular activated carbon 8, 20, 42, 123

I

- Impregnation ratio 7, 10, 55, 60, 64, 66, 71
- Intraparticle diffusion 82, 97, 100, 108-112

K

- Kinetics 8, 12, 42, 76, 80, 97-98

L

- Langmuir isotherm 84-85, 87-94, 114
- Liquid phase adsorption 2, 4-5, 16-17, 42, 75, 80

M

- Macropore 26
- Mesopore 26, 31, 34, 39-42, 80, 95
- Mesoporous 2, 7, 13, 34, 41-42, 54
- Methylene blue 2-3, 16, 55, 59, 64, 69, 76, 83, 123
- Micropore 26, 31, 39-42, 54

O

- Oil palm empty fruit bunch 7, 24-26, 32, 41, 54, 66-70
- Oil palm fibre 7, 23-26, 32, 41, 54, 61-65
- Oil palm shell 21, 23, 25-26, 32, 36, 41-42, 123
- Optimization 2, 13, 53-54, 71-72

P

- Physiochemical activation 2, 7, 34, 37, 55
- Pore size distribution 5, 7, 12, 19,